



Glass Patch Locks

NEW



*Here
you can find
New designed Glass Patch Lock*

*Glass Patch Lock - Dummy, Indicator Switch, European Cylinder Secured

*Aluminum Hinge *Lever Handle *Mechanical Latch type & Magnetic Latch type



GLASS PATCH LOCK

Glass Patch Lock
Radius
PLI-10LR series



Material: Aluminum & Zinc

Dimension: L124(108)xW65

Suitable for: 8mm (5/16") to 12mm (1/2") frameless glass doors.

Finish: Plated, Anodized, Painted are all available by request

Package: D&D Standard Kit Box


100% Made in Taiwan, quality guarantee.

Features

TRANSFORMERS Design:

1. ONE common lock body with flexible combination for multiple models presented.
Four models selection: Dummy, European Cylinder secured, Lever Switch and Indicator Switch
2. Exchangeable application: ONE glass cut-off hole suits for all models,
3. Components: available for different functions, different appearance, personal preferences.
4. Wide applications.







GLASS PATCH LOCK

Glass Patch Lock
Radius
PLI-10LR series



Features

FIXED Design – Economy design with LEVER SWITCH

1. TWO models selection:

Lever Switch and Indicator Switch models.

2. Non-Handed:

Can change the lock body horizontal easily.

3. Glass Cut-Out:



Suggested glass cut-out: 55mm+16mm
48mm+16mm is also workable.

4. Infinity finishes:

Plated, Anodized, Painted, wide range colors are available on request.

5. Saving cost:

Suits to the existing "48mm+16mm" cut-off hole. No need to have new glass door or new glass cut-off hole. Convenient installation, and save your cost.

PLI-10LRO	PLI-10LRF
	
General latching with Indicator Switch	General latching with Lever Switch



GLASS PATCH LOCK

Glass Patch Lock
Radius
PLI-10LR series





Mechanical Latch



Features

TRANSFORMERS Design – Mechanical Latch

- FOUR models selection:**
Dummy, European Cylinder secured, Lever Switch and Indicator Switch models.
ONE common lock body with flexible combination for multiple models presented.
- Exchangeable application:**
ONE glass cut-off hole suits for all models.
- Non-Handed:**
Can change the lock body horizontal easily.
- Glass Cut-Out:**
Suggested glass cut-out: 55mm+16mm
48mm+16mm is also workable.
- Separated Components:**
Available for different functions, different appearance, personal preferences. Could be ordered separately.
- Infinity finishes:**
Plated, Anodized, Painted, wide range colors are available on request.
- Saving cost:**
 - * Four different models fit to one glass cut-off, also suit to the existing "48mm+16mm" cut-off hole. No need to have new glass door or new glass cut-off hole. Convenient installation, and save your cost.
 - * Transformers design, maximum the flexibility for different combination for different models, minimizing of the inventory, reduction of the stock cost.

PLI-10LRD	PLI-10LRC	PLI-10LRS	PLI-10LRW
			
General LATCHING function	General latching with SECURE function by European Cylinder	General latching with Lever Switch	General latching with Indicator Switch



GLASS PATCH LOCK

Glass Patch Lock
Square
PLI series



Features

1. **Anti-RUST cover/body:**

Stainless steel cover/body to avoid rusting.
In PSS / BSS finishes.

2. **INDICATING function:**

Show the lock status by indicator simply.

3. **Strikes:**

Strike plate: Standard accessory.
Strike box: Optional item by request as below table

4. **Glass thickness:**

for 8mm (5/16") – 10mm (3/8") glass.


Item No.	Picture	Description	Strike Box (option item)
PLI-20LSS		Body - Zamac alloy / Cover - SUS304 Dimension: L100(88)xW59mm w/ Mechanical Latch w/ Indicator Switch Suitable for Swing doors	
PLI-30HST		Material: SUS304 Dimension: L90xW55mm w/ Hook Latch w/ Indicator Switch-Thumbturn Suitable for Swing doors & Sliding doors	 PLI-30HSK
PLI-31BST		Material: SUS304 Dimension: L90xW55mm w/ Bolt w/ Indicator Switch-Thumbturn Suitable for Swing doors	 PLI-31BSK
PLI-40BET		Material: SUS304 Dimension: L80xW60mm w/ Bolt w/ Indicator Switch-Thumbturn Suitable for Swing doors	 PLI-40BEK



GLASS PATCH LOCK

Glass Patch Lock

Accessories



Item Number	Picture	Description
PLI-10RK		Patch Lock Strike Box for PLI-10 series L75.5(58.5)xW65mm for 8-12mm glass
LH-113		Glass Lever Handle Material: Aluminum, L137xD65xφ19, w/ 80mm spindle
GHN-90R-GTWOU		Non-spring Glass Door Hinge Glass to Wall - out swing Material: Aluminum for 8-12mm glass Open Degree: 180°
CY-63		European Profile Cylinder – K/T end Material: available in Brass, Aluminum and Zamac
CY-67		European Profile Cylinder – K/T end Material: Brass Other material is available by request
FB-91		Dust Proof Strike Material: SUS Dimension: L30xDia.φ20mm Barrel Dia.: φ14mm
PS-81		Glass Door Bottom Bolt Lock Material: Aluminum Dimension: 30x45x45mm Bolt: L70.8mm for 8-12mm glass